·			т	· .		T
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	("6291763").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 11:15
L3	2	("6175075").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 11:15
S1	113	Takeyama .IN. and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 10:54
S2	5	(Takeyama and Fujino).IN. and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 10:56
S3	1449	(solar or photovoltaic)and (coating same electrode same thickness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 10:57
S4	65	(solar or photovoltaic)and (coating film same electrode same thickness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 10:59
S5	0	(solar or photovoltaic)and (coating film same electrode same thickness)and (viscosity same "1" adj mPa)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 11:03

		·	•	•		
S6	5	(solar or photovoltaic)and (coating film same electrode same thickness)and (viscosity same mPa)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 11:04
S7	26	(solar or photovoltaic)and (coating film same electrode same thickness)and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 11:06
S8	418	(solar or photovoltaic)and (coating same electrode same thickness)and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 11:06
S9	17	(solar or photovoltaic)and (coating same electrode same thickness)and (viscosity same mPa)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 11:19
S10	0	(solar or photovoltaic)and (coating same electrode same thickness)and (viscosity)adn thermoset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/07/26 11:19
S11	182	(solar or photovoltaic)and (coating same electrode same thickness)and (viscosity)and curing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 11:24
S12	0	(solar or photovoltaic)and (coating same electrode same thickness)and (viscosity)and ("mPa.multidot.s.")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 11:25

						•
S13	0	(solar or photovoltaic)and (coating and electrode and thickness)and (viscosity) and ("mPa.multidot.s.")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/07/26 11:25
S14	2033	(solar or photovoltaic)and (coating and electrode and thickness)and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:23
S15	75	(solar or photovoltaic) and (coating film and electrode and thickness) and (acrylic resin) and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:19
S16	2	("6620996").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:16
S17	0	("9866069").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:16
S18	2	("0866069").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:16
S19	6	"866069".AP.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 14:17

					·	
S20	4	"082788".AP.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 14:30
S21	5	"297207".AP.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 14:31
S22	10	WO99/10935	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 14:41
S23	110	(N-type same concentration same decreasing) and (solar or photoelectric or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 14:47
S24	223	(solar or photovoltaic or photoelectric)and (coat and electrode and thickness)and (viscosity) and (acrylic resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ ·	ON	2007/07/26 15:26
S25	215	(solar or photovoltaic or photoelectric)and ((coating or protective)film and electrode and thickness)and (viscosity) and (acrylic resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/07/26 15:34
\$26 ,	2	("6316832").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 15:44

S27	0	"6271462.PN.and" (coating film and electrode and thickness) and (acrylic resin) and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:45
S28	0	"6271462.PN.and" (coating film and electrode and thickness) and (resin) and acrylic and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:45
S29	0	"6271462".PN. and (coating film and electrode and thickness) and (resin) and acrylic and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:46
S30	0	"6271462".PN. and (coating and electrode and thickness) and (resin) and acrylic and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:46
S31	0	"6271462".PN. and (electrode and thickness) and (resin) and acrylic and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:46
S32	0	"6271462".PN. and (electrode and thickness) and (resin) and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:46
S33	1	"6271462".PN. and (electrode and thickness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:47

534	1	"6271462".PN. and (electrode and thickness and resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:28
S35	0	"6271462".PN. and (electrode and thickness and resin and acrylic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:48
S36	1	"6191353".PN. and (electrode and thickness and resin and acrylic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:50
S37	0	"6191353".PN. and (electrode and thickness and resin and acrylic adn viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:51
S38	0	"6191353".PN. and (electrode and thickness and resin and acrylic and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:51
S39 ·	0	"6184458".PN. and (electrode and thickness and resin and acrylic and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:52
S40	. 0	"6184457".PN. and (electrode and thickness and resin and acrylic and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:52

			1	I	T	T = 1 = 1 = 1
S41	0	"6180868".PN. and (electrode and thickness and resin and acrylic and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:29
S42	0	"6162986".PN. and (electrode and thickness and resin and acrylic and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:53
S43	0	"6130379".PN. and (electrode and thickness and resin and acrylic and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:54
S44	1	"6121542".PN. and (electrode and thickness and resin and acrylic and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:07
S45		"5942048".PN. and (electrode and thickness and resin and acrylic and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:17
S46	0	"5942048".PN. and (electrode and thickness and resin and acrylic and viscosity and wettability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:17
S47	0	"5759291".PN. and (electrode and thickness and resin and acrylic and viscosity and wettability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:17

S48	0	"5679176".PN. and (electrode and thickness and resin and acrylic and viscosity and wettability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:18
S49	0	"5667596".PN. and (electrode and thickness and resin and acrylic and viscosity and wettability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:18
S50	. 0	"4260429".PN. and (electrode and thickness and resin and acrylic and viscosity and wettability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:18
S51	1	"5942048".PN. and (coating film and electrode and thickness) and (acrylic resin) and (viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:19
S52	0	"6271462".PN. and (electrode and thickness and resin and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/07/26 16:28
S53	1123	(solar or photovoltaic or photoelectric) and (electrode and thickness and resin and acrylic and viscosity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:29
S54	43	(solar or photovoltaic or photoelectric) and (electrode and thickness and resin and acrylic) and (viscosity same Poise)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 18:43

		·				•
S55	2482	(solar or photovoltaic or photoelectric) and (electrode and thickness and resin and acrylic) and (coating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 18:44
S56	1030	(solar or photovoltaic or photoelectric) and (electrode and thickness and resin and acrylic) and (coating layer or elastic layer or protective layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 18:44
S57	417	(solar or photovoltaic or photoelectric) and (electrode same thickness) same (coating layer or elastic layer or protective layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 18:48
S58	111	(solar or photovoltaic or photoelectric) and (electrode same thickness) same (coating layer or elastic layer or protective layer) and acrylic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 18:48